

Heat Trace Ltd, Mere's Edge, Chester Road
Helsby, Frodsham, Cheshire, WA6 0DJ, U.K.
Telephone : +44 (0)1928 726 451
Facsimile : +44 (0)1928 727 846
<http://www.heat-trace.com>


EU Declaration Of Conformity
Heat Trace Ltd

Heat Trace declares under our sole responsibility that the product(s) listed below conform with the relevant provisions of the following Directives:

2014/34/EU	Potentially Explosive Atmospheres (ATEX)
2014/35/EU	The Low Voltage Directive
2014/30/EU	The Electromagnetic Compatibility Directive

HTS2FM and HTS2FAM Range of Trace Heating Tapes
HTS3FM and HTS3FAM Range of Trace Heating Tapes

The marking of the equipment shall include the following:



II 2GD

Ex 60079-30-1 IIC T6...T1 Gb Ex 60079-30-1 IIIC T85°C...T450°C Db

Product Type	Nominal Output (W/m)	Maximum Permissible Workpiece Temperature (°C)					
		T6 T85°C	T5 T100°C	T4 T135°C	T3 T200°C	T2 T300°C	T1 T450°C
HTS3FM-*	10	47	66	107	181	200	200
HTS3FAM-*	20	-	32	75	157	191	191
HTS2FM-*	30	-	-	41	132	163	163
HTS2FAM-*	40	-	-	-	108	133	133
	50	-	-	-	76	97	97
HTS3FM-*S	10	57	73	112	181	200	200
HTS3FAM-*S	20	37	53	93	166	180	180
HTS2FM-*S	30	-	31	73	152	157	157
HTS2FAM-*S	40	-	-	51	127	127	127
	50	-	-	27	92	92	92
HTS3FM-*F	10	57	73	112	181	192	192
HTS3FAM-*F	20	37	53	93	166	177	177
HTS2FM-*F	30	-	31	73	152	165	165
HTS2FAM-*F	40	-	-	51	127	127	127
	50	-	-	27	92	92	92

Conformity has been demonstrated with reference to the following documentation:

EU Type Examination Certificate CML 19ATEX3389X Issue 0 Dated 9th December 2019
Quality Assurance Notification CML ATEXQ12547 Issue 1 Dated 10th July 2020

Notified Body:
CML B.V (2776)
Hoogoorddreef 15,
Amsterdam, 1101 BA,
The Netherlands

Compliance with the Essential Health & Safety Requirements has been assessed by reference to the following standards:

EN 60079-0:2018
EN 60079-30-1:2017

23rd September 2020

J. O'Connor
Chairman
Heat Trace Ltd.

EUDOC/TECH064 ISSUE 5/230920

